# Acoustic correlates of stress in Turkish Kabardian

Matthew Gordon and Ayla Applebaum Department of Linguistics, University of California, Santa Barbara mgordon@linguistics.ucsb.edu, ayla1@umail.ucsb.edu

### Abstract

This paper reports results of an acoustic study of stress in the Turkish dialect of the Northwest Caucasian language, Kabardian. Primary stressed syllables were found to have consistently higher fundamental frequency and characteristically greater duration and intensity. No evidence was found for pretonic secondary stresses. Schwa and, to a lesser extent,  $/\mathbf{e}$ / were shown to undergo slight raising as their duration in unstressed syllables decreased. This gradient raising of schwa is due to coarticulatory overlap with adjacent consonants rather than a categorical shift in vowel quality. Considerations of articulatory effort rather than perceptual dispersion predict both the categorical alternation between stressed /a:/ and unstressed / $\mathbf{e}$ / in Kabardian and the non-categorical raising of schwa and / $\mathbf{e}$ / in unstressed syllables.

### **1. Introduction**

The cross-linguistic investigation of the acoustic realization of stress has provided fertile ground for phonetic research since the seminal work on English stress correlates by Fry (1955, 1958). Typological phonetic studies have shown that the acoustic manifestations of stress vary from language to language with stressed syllables typically being associated with one or more of the following properties: raised fundamental frequency, increased loudness, greater duration, and different vowel qualities, e.g. English (Fry 1955, 1958, Beckman 1986), Russian (Bondarko et al. 1973), Polish (Jassem et al. 1968), Mari (Baitschura 1976), Indonesian (Adisasmito-Smith & Cohn 1996), Tagalog (Gonzalez 1970), Dutch (Sluijter & van Heuven 1996), Pirahã (Everett 1998), Chickasaw (Gordon 2004), Turkish (Levi 2005). Despite the recent increase in cross-linguistic acoustic studies of stress, the majority of the languages of the world have not been subject to instrumental studies of stress. Furthermore, there are entire language families and language areas, most notably in Asia, the Pacific and the Americas, for which there is no published quantitative research on acoustic correlates of stress. There is thus a need to expand the breadth of our cross-linguistic knowledge about the manifestations of stress.

One of the interesting issues in the typological phonetic study of stress is the question of whether the relative importance of different acoustic correlates is predictable from independent characteristics of languages. Based on existing studies, the availability of potential correlates of stress in a given language appears to be constrained by their role in the expression of other phonological properties in that language. For example, the use of F0 as a cue to stress might be limited in a language in which F0 is used contrastively to signal lexical tone. In support of this prediction, Everett (1998) found that duration and intensity are more reliable correlates of stress than F0 in Pirahã, an Amazonian language in which tone is phonemic. Potisuk et al. (1996) make a similar finding in their study of Thai, another tone language. Similarly, stressed vowels are often shorter than unstressed vowels in languages with phonemic vowel length contrasts in unstressed syllables, e.g. Finnish, Czech.

The present study of stress in Kabardian seeks to contribute to our phonetic understanding of stress correlates in two ways. First, as the first quantitative study of stress in a Northwest Caucasian language, it promises to expand our knowledge about the cross-linguistic correlates of stress. Second, the typologically unusual nature of its vertical three vowel system allows for further testing of the hypothesis that the realization of stress is conditioned at least partially by other phonological properties of a language.

# 2. Background

Kabardian is a Northwest Caucasian language spoken predominantly in the Kabardino-Balkar Republic of Russia (443,000 speakers according to the online Ethnologue at www.sil.org) and Turkey (550,000 according to the Ethnologue), although small groups of speakers are scattered throughout many countries, including Syria, Jordan, Lebanon, and the United States. Kabardian belongs to the Circassian branch of the Northwest Caucasian language family. The Circassian languages are commonly divided into two branches: East Circassian, including Kabardian and closely related Besleney, and West Circassian, including Adyghe and its associated dialects. The present study focuses on the variety of Kabardian spoken in Turkey.

# 2.1. Consonants

Turkish Kabardian features the consonant phonemes in Table 1 (see Gordon & Applebaum 2006 for description of phonetic attributes of Kabardian consonants and vowels)

	Labial	Denti-alveolar	Palato-alveolar	Palatal	Palatalized Velar	Velar	Uvular	Pharyngeal	Laryn-geal
Stop	p p'b	t t'd			k <sup>j</sup> k <sup>j</sup> 'g <sup>j</sup>	k <sup>w</sup> k <sup>w</sup> '	q q' q <sup>w</sup> q <sup>w</sup> '		3 3m
Affricate		ts ts' dz							
Fricative	ff'v	S Z	∫∫'3	çj		x <sup>w</sup> γ <sup>w</sup>	$egin{array}{ccc} \chi_{ m m} & { m R}_{ m m} \ \chi & { m R} \end{array}$	ħ	h
Nasal	m	n							
Lateral		4 4'1							
Тар		ſ							
Approximant				j					

Table 1. The consonant phonemes of speakers examined in this paper

#### 2.2. Vowels

Kabardian possesses a so-called 'vertical vowel system' in which vowel height but not backness is contrastive. Most sources assume two short central vowels / $\nu$ ,  $\nu$ ,  $\nu$ / as well as a third central but lower vowel /a/ that has either been regarded as a third short vowel (Catford 1984) or as a long vowel (Choi 1991, Wood 1994). Duration measurements by Choi (1991) indicate that the lowest vowel is indeed a long vowel, since it is nearly twice as long as the next lowest vowel quality / $\nu$ /.

On the surface, there are many additional vowel qualities triggered by surrounding consonants. For example, rounded allophones occur next to rounded consonants and retracted allophones occur next to velar and uvular consonants (see Catford 1984, Colarusso 1988, Choi 1991, and Wood 1994 on these allophones in Kabardian and Vogt 1963 on vowel allophones in closely related Ubykh). The most peripheral of these vowel qualities occur before a following glide. Thus, the vowel /ɐ/ is realized as [o] before /w/ and as [e] before /j/, while the vowel /ə/ is realized as [u] before /w/ and as [e] before /j/, while the vowel plus glide are often realized as long monophthongs on the surface, i.e. as [o:], [e:], [u:], [i:]. Figure 1 plots the three vowel phonemes /ɐ, ə, a:/ and the most peripheral allophones, i.e. those before glides, of the two short vowels as produced by five female speakers of Kabardian from Turkey

(from Gordon & Applebaum 2006). In the plot, each vowel symbol represents a single token of that vowel.




Figure 1. Plots of the first two formants for five female speakers of Turkish Kabardian (from Gordon & Applebaum 2006). Ellipses indicate two standard deviations from the mean.

### 2.3. Stress in Kabardian

Phonological descriptions of Kabardian are in agreement that stress characteristically falls on either the penultimate or the final syllable of a word (Turchaninov & Tsagov. 1940, Jakovlev 1948, Abitov et al 1957, Colarusso 1992, 2006): the final syllable if it is heavy, i.e. contains either a long vowel (CVV) or a coda consonant (CVC), and the penult if the final syllable is light. Words illustrating these stress generalizations appear in (1).

(1)	Final stress	
	sɐ'bən	'soap'
	tep'∫ek <sup>j</sup>	'plate'
	saː'bəj	'baby'
	naı'nəw	'kid'
	le'za:	'work (past interrog)
	Penultimate stress	
	'paːsɐ	'early'
	'saːbɐ	'dust'
	'mə∫¢	'bear'
	?e'da:q'e	'rooster'
	χεr'zəne	'good'

Colarusso (1992:16) observes that stress fails to fall on nominal suffixes, although he also notes that certain suffixes can carry a secondary stress. Verbal suffixes, on the other hand, can carry primary stress as long as they 'are of a purely verbal character' (pg. 17).

There is virtually no literature on the acoustic manifestation of stress in Kabardian other than Colarusso's (1992:16) statement that 'stress is a mixture of strong percussion and a slight rise in pitch'. To the best of our knowledge, there are no published descriptions of the acoustic differentiation of primary and secondary stress.

#### 3. Present study

The present study seeks to confirm published descriptions of the location of stress and to determine the acoustic properties that signal stress, both primary and secondary stress. Besides representing the first quantitative study of stress in a Northwest Caucasian language, the present work addresses the question of whether acoustic correlates of stress are constrained on a language-specific basis by phonological properties. Lengthening of vowels is potentially constrained (but see Taff et al 2001 on Aleut) by the contrastive status of vowel length on the surface. We thus might expect duration to be used less to signal stress in Kabardian than F0, which is not used contrastively at the lexical level in Kabardian.

Another interesting issue is the potential relationship between the vowel inventory and the availability of vowel reduction as a cue to stress in Kabardian. Manuel (1990) has shown that vowel-to-vowel coarticulation is less extensive in languages with many phonemic vowels than in languages with fewer vowels. We might hypothesize that, because Kabardian possesses a small number of phonemic vowels, there is the possibility of employing different vowel qualities in stressed and unstressed sylllables with a minimal threat of obscuring phonemic contrasts. Thus, we might predict Kabardian to use vowel quality alternations as a cue to lack of stress.

Two types of vowel reduction patterns have been identified by Crosswhite (2001) in her typological investigation of reduction. One type involves centralization of unstressed vowels. For example, most vowels in English reduce to a schwa-like vowel when unstressed. This type of reduction is typically linked to articulatory factors. Unstressed vowels are shorter than stressed vowels, which allows less time for articulators to reach more peripheral targets in the articulatory space. Crosswhite (2001) also points out that this type of reduction has the advantage of reducing the intrinsic prominence of unstressed vowels.

The other type of vowel reduction involves vowels becoming more *rather than less* peripheral in unstressed vowels. This increase in peripherality can be manifested as either vowel raising or lowering depending on the language. For example, the phonemic mid vowels /e, o/ raise to the high vowels /i, u/ when unstressed in Luiseño (Munro & Benson 1973) and unstressed / $\epsilon$ ,  $\sigma$ / raise to /e, o/ in standard Italian (Maiden 1995). In Belorussian, on the other hand, the unstressed mid vowels /e,  $\sigma$ / lower to /a/ (Kryvitskii & Podluzhnyi 1994). Crosswhite (2001) attributes this superficially less intuitive raising type of reduction to the goal of maximizing the perceptibility of contrasts in unstressed contexts where they are more vulnerable. Either raising mid to high vowels or lowering mid to low vowels in unstressed syllables creates greater acoustic dispersion, hence increased perceptual distinctness, of different phonemic vowel qualities in the face of the shorter duration and reduced intensity associated with unstressed vowels.

Kabardian is described as having at least one type of vowel quality alternation dependent on stress, a centralizing variety. The lower short central vowel /ɐ/ lowers and lengthens to /aː/ when stressed in the first syllable of disyllabic nouns and adjectives of the shape CVCe and less consistently in compounds resulting from concatenating two CV roots (Colarusso 1992). For example, the root /ʃ'aːlɐ/ 'boy' (pronounced as /c'aːlɐ/ in the variety of literary Kabardian spoken in Russia) is realized as ['ʃ'aːlɐ] phrase-finally, but [ʃ'ɐlɐ] when another root follows within the same noun phrase, e.g. [ʃ'ɐ'lɐf'] 'good

boy', [ $\int' \mathbf{e} l\mathbf{e} 'ts' \mathbf{e} k^{w'}$ ] 'little boy'. Because there are some CVCV roots that have a long /a:/ in the first syllable when unstressed, e.g. [sa:'bəj] 'baby', the alternating vowel in roots like / $\int' a: l\mathbf{e}$ / is analyzed as underlyingly / $\mathbf{e}$ / with the long /a:/ occurring in stressed syllables derived through fortition under stress. The fact that the stressed /a:/ that alternates with unstressed / $\mathbf{e}$ / is transcribed in published sources and the orthography identically to the underlying /a:/ that does not alternate suggests that fortition of / $\mathbf{e}$ / neutralizes an underlying phonemic distinction. This prediction has not been verified, however, through instrumental analysis.

Furthermore, because the lowering and lengthening of stressed / $\mathbf{e}$ / is positionally restricted, this still leaves open the possibility that / $\mathbf{e}$ / occurring in other contexts might also undergo a qualitative alternation conditioned by stress. For example, the two phonemic / $\mathbf{e}$ / in the word /tep[ $\mathbf{e}$ k<sup>j</sup>/ 'plate' might differ, with the unstressed variant in the first syllable predicted to be either higher if the centralizing type of reduction applies or lower if the contrast enhancing variety is observed. Furthermore, although the phonemic / $\mathbf{e}$ / already occupies the center of the vowel space and would thus not be prone to the centralizing type of reduction, either raising or lowering is possible if it undergoes the contrasting type of reduction, i.e. schwa which could raise in the direction of / $\mathbf{9}$ / or lower in the direction of / $\mathbf{3}$ / when unstressed.

The predictions for Kabardian vowel alternations according to the centralizing reduction pattern and the two types of contrast enhancing reduction (raising and lowering) are schematically depicted in Figure 2. Arrows connect each stressed vowel (in bold) to its unstressed allophone. The alternation between unstressed /ɐ/ and stressed /aː/ is not shown since it unambiguously belongs to the centralizing type of pattern.




Figure 2. Stress-dependent vowel alternations classed according to the contrast enhancing vs. centralizing taxonomy of Crosswhite (2001)

If the strengthening of unstressed / $\mathbf{e}$ / to stressed / $\mathbf{a}$ :/ is neutralizing as published sources suggest, then it is clear that vowel reduction in Kabardian is not completely constrained by the goal of preserving phonemic contrasts. However, this does not preclude the possibility that contrast maintenance exerts an influence on other potential reduction patterns. If reduction patterns are constrained by the goal of preserving phonemic contrasts, we would expect the raising type of reduction rather than the lowering type to apply to schwa, since lowering of schwa would infringe on the acoustic space occupied by / $\mathbf{e}$ /. As Figure 1 showed (section 2.2), there is a sizable open portion of the vowel space above schwa into which schwa could reduce when unstressed. In the case of / $\mathbf{e}$ /, on the other hand, both centralizing and contrast enhancing reduction could threaten neutralization with other phonemic vowels, schwa in the case of centralizing reduction and / $\mathbf{a}$ :/ in the case of contrast enhancing reduction.

### 4. Methodology

#### 4.1. Corpora and measurements

Two corpora were examined in the present study, both of which consisted of words elicited in isolation. Data were collected in .wav format at a sampling rate of 44.1 kHz using a portable solidstate recorder (Edirol R09) via a unidirectional headworn microphone (Shure SMS10A). All elicitation was conducted in Turkish either in Turkey or the United States by the second author.

The first elicited corpus was designed to explore the acoustic correlates of stress in vowels with differing degrees of stress. All of the words in this corpus varied in length from two to five syllables and contained at least one stressed vowel and one unstressed vowel. The vowel /ə/, the most commonly attested vowel in Kabardian, was targeted for measurement in order to control for intrinsic effects of vowel quality on the measured acoustic parameters. Because impressionistic examination of the data did not indicate a clear distinction between primary and secondary stress, vowels were at first conservatively divided into two groups, stressed and unstressed, where the location of stressed vowels adhered closely to published descriptions (section 2.3). However, the possibility of distinguishing primary and secondary stress was also explored in the analysis. Words included in the first corpus appear in appendix A.

Measurements taken for the first corpus include vowel duration measured from the onset to the offset of a visible second formant, the average intensity of the vowels, and the average F0 of the vowels. In several tokens (12 of 861 total measured vowels across speakers), reliable F0 values could not be taken due to the presence of non-modal phonation, either creakiness attributed to final position (3 cases) or breathiness attributed to an adjacent voiceless consonant (8 cases). Two speakers, the male speaker and one of the female speakers (FS2) accounted for all but one of the instances of non-modal phonation. Five repetitions of each word in this corpus were targeted for measurement. All measurements were made using Praat (www.praat.org).

The second corpus was designed to look at vowel quality as a potential correlate of stress. Words in this corpus belonged to nominal paradigms based on the roots /bəsəm/ 'host', /ʃ'alɐ/ 'boy' and /tɐpʃɐkʲ/ 'plate', where each root was elicited in its bare form and then followed by adjectives which pulled stress off its original position. The number of syllables following the target vowel was varied such that stress was distanced progressively farther from the right edge of the phrase. Five repetitions of each word in this corpus were targeted for measurement. The first and second formant values were calculated using the Get Formant function in Praat for a window encompassing the entire target vowel. This window was chosen (rather than a shorter window that would reduce microprosodic effects on formant structure induced by the flanking consonants) since the consonants surrounding the measured vowel were the same across all instances of the

same target vowel quality regardless of differences in distance from the stress. Thus, the target schwa always occurred between /s/ and /m/ even though the location of stress was systematically shifted across words containing the schwa. Similarly, the target /e/ always occurred between /f/ and / $k^{j}$ / and the targeted alternating vowel occurred consistently between /f/ and /l/. Words in the second corpus appear in appendix B.

#### 4.2. Consultants

Seven speakers (six female and one male) of Kabardian served as subjects in the study. All speakers hailed from Turkey and were bilingual in Turkish and Kabardian, with some possessing proficiency in English to varying degrees. The speakers grew up in the village of Fındık köyü in the Kahraman Maraş region of central Turkey before moving to Ankara as adults. All speakers reported using Kabardian on a daily basis with family members.

#### 5. Results

#### 5.1. Duration, intensity, and fundamental frequency

### 5.1.1. Duration

Results collapsed over all speakers show that stressed vowels were longer than unstressed vowels: 77 milliseconds for stressed vowels and 55 milliseconds for unstressed vowels. A series of statistical tests were conducted to assess the robustness of this difference. First, a multivariate analysis of variance (MANOVA) was performed with stress level (stressed vs. unstressed), speaker, and word length as independent variables and duration as the dependent variable. Word length was included as a variable due to the cross-linguistic tendency for the duration of individual segments to decrease with an increase in the number of syllables in a word (Lindblom & Rapp 1973). Because of the large number of tokens measured, effect sizes expressed as  $\eta^2$  values were used to evaluate the relative reliability of different independent variables as a predictor of duration values (Levine & Hullett 2002). Since SPSS does not provide  $\eta^2$  values, they were calculated manually by dividing the between-groups sum of squares by the total sum of squares both of which are reported by SPSS. Larger effect size values associated with a given independent variable indicate more robust effects of that variable on the phonetic parameter examined in the

analysis. Values for  $\eta^2$  greater than .01 may be regarded as reflecting a small effect, values greater than .06 a medium effect, and those greater than .14 a large effect.

Results of the analysis of variance for duration indicated a number of significant effects, the largest of which involved the effect of stress level on duration: F(1,807)=122.231, p < .001,  $\eta^2$ =.102. A smaller effect on duration was exerted by word length (F(3,807)=30.970, p < .001,  $\eta^2$ =.078) and speaker (F(6,807)=4.846, p < .001,  $\eta^2$ =.025). The effect of word length on duration values was due to a slight lengthening effect observed in vowels in words with five syllables. There was an interaction between stress and speaker (F(6,807)=3.722, p < .001,  $\eta^2$ =.019), which was attributed to interspeaker variation in the degree to which each relied on duration as a marker of stress (see below for discussion). There was also a minor interaction between stress and word length (F(3,807)=13.865, p < .001,  $\eta^2$ =.058). This result was due to there being greater variation in duration values as a function of word length in stressed than in unstressed syllables. Duration values in unstressed syllables all hovered between 49 and 59 milliseconds on average, whereas those in stressed syllables varied from a high of 108 milliseconds in five syllable words to a low of 61 milliseconds in two syllable words. The fact that duration values were longer in five syllable words relative to two syllable words indicates that the expected inverse correlation between segment duration and word length did not hold in the examined data. There was a slight interaction between speaker and word length (F(17,807)=2.346, p=.002,  $\eta^2$ =.055) which was attributed to interspeaker variation in duration patterns as a function of word length. There was also a slight threeway interaction between stress, speaker and word length (F(17,807)=2.554, p=.001,  $\eta^2 = .037$ ).

A paired samples t-test was also conducted for the paired variables of stress level and speaker using mean values for stressed and unstressed syllables for individual speakers. This test confirmed the overall robustness in duration differences between stressed and unstressed syllables: t(6)=5.066, p=.002.

As the interaction between stress and speaker discovered in the MANOVA indicated, not all speakers used duration equally reliably as a signal of stress. This is evident in the individual speaker mean duration values for stressed and unstressed syllables in table 2. For each speaker, a two-factor MANOVA was conducted with stress

level and word length as independent variables. Results for the variable of stress level (the primary variable of interest) appear in table 2. Results for word length and the interaction between stress level and word length are reported in the text below.

For one speaker, FS2, there was no effect of stress on duration values. All of the other speakers displayed an effect of stress on duration. All of the speakers except for FS3 and FS4 also evinced an effect of word length on duration paralleling results in the pooled speaker analysis: for FS1 (F(3,137)=13.858, p < .001,  $\eta^2$ =.163); for FS2 (F(3,117)=3.732, p=.013,  $\eta^2$ =.088); for FS5 (F(3,122)=15.319, p < .001,  $\eta^2$ =.238); for speaker FS6 (F(3,125)=11.884, p < .001,  $\eta^2$ =.173); for speaker MS1 (F(2,107)=4.193, p=.018,  $\eta^2$ =.061). Several speakers (FS1, FS3, FS5, FS6) also showed an interaction between word length and stress in keeping with the overall pattern for vowel length to vary more in stressed than in unstressed syllables: for FS1 (F(3,137)=16.765, p < .001,  $\eta^2$ =.204); for FS3 (F(3,102)=3.840, p=.012,  $\eta^2$ =.066); for FS5 (F(3,122)=6.272, p=.001,  $\eta^2$ =.095); for FS6 (F(3,125)=7.393, p < .001,  $\eta^2$ =.109).

Table 2. Average by speaker duration and standard deviations (in milliseconds) for stressed and unstressed vowels and statistical results for the stress level variable according to analyses of variance.

Speaker	Stresse	ed	Unstressed		Statistical results for stress variable
	Mean	SD	Mean	SD	
FS1	76	36	52	16	$F(1,137)=33.233, p < .001, \eta^2=.133$
FS2	61	25	56	30	n.s.
FS3	81	32	49	21	F(1,102)=37.447, p<001, η <sup>2</sup> =.231
FS4	76	27	63	24	F(1,97)=7.866, p=.006, η <sup>2</sup> =.074
FS5	71	29	54	17	$F(1,122)=31.053, p < .001, \eta^2=.159$
FS6	92	64	53	32	$F(1,125)=25.009, p < .001, \eta^2=.122$
MS1	86	45	62	19	F(1,107)=9.622, p=.002, η <sup>2</sup> =.070
Average	77	40	55	24	

Because many of the stressed vowels occurred in final syllables, a common locus of lengthening cross-linguistically (Wightman et al. 1992), additional statistical tests were conducted excluding final vowels.

A paired samples t-test was performed for the paired variables of stress level and speaker using mean duration values for stressed and unstressed syllables in non-final syllables for individual speakers. Results indicated a significant, though weaker in comparison to results pooled across final and non-final syllables, difference between stressed and unstressed vowels: t(6)=2.485, p=.047. In individual speaker analyses of variance with stress level as the independent variable, four speakers were found to differentiate stressed and unstressed vowels in non-final syllables: FS3 (64 ms vs. 42 ms; F(1,79)=51.818, p < .001,  $\eta^2=.400$ ), FS4 (62 ms vs. 54 ms; F(1,74)=5.845, p=.018,  $\eta^2=.077$ ), FS5 (60 ms vs. 49 ms; F(1,94)=14.180, p < .001,  $\eta^2=.143$ ), FS6 (81 ms vs. 42 ms; F(1,101)=20.688, p < .001,  $\eta^2=.168$ ). Three speakers did not distinguish stressed and unstressed vowels in duration: speaker FS1 (53 ms vs. 49 ms), speaker FS2 (52 ms vs. 47 ms), and speaker MS1 (56 ms vs. 56 ms).

It is also worth noting that pretonic vowels were deleted in many tokens. For example, a common pronunciation of /bəsəməf'/ 'good host' was [bəs'məf'] with a deleted penultimate vowel. Unstressed /ə/ in certain contexts, however, was never deleted. For example, vowel deletion failed to apply if it would produce an initial consonant cluster.

The data were also examined for evidence of secondary stresses occurring before the primary stress. Duration values across speakers are plotted as a function of the distance in number of syllables between the vowel and the primary stressed vowel in Figure 3. The primary stressed vowel is indicated by '0', with'-1' indicating the immediately pretonic vowel, '-2' the vowel two syllables before the primary stress, '-3' the vowel three syllables before the primary stress, and '-4' the vowel four syllables before the primary stress.




Figure 3. Duration of vowels (averaged across seven speakers) as a function of proximity to the stressed syllable.

A series of paired (by speaker) samples t-test was conducted to compare, first, the duration of stressed vowels with unstressed vowels differing in distance from the stress and, second, the duration of unstressed vowels with other unstressed vowels in different positions. Results indicated that stressed vowels were longer than unstressed vowels in all pretonic syllables: stressed vowel vs. the immediately pretonic vowel, t(6)=9.825, p < .001; stressed vowel vs. the unstressed vowel two syllables to its left, t(6)=6.830, p < .001; stressed vowel vs. the unstressed vowel three syllables to its left, t(6)=5.327, p=.002; stressed vowel vs. the unstressed vowel four syllables to its left, t(4)=3.772, p=.02. A few of the differences between unstressed syllables, though small, reached significance: the immediately pretonic vowel vs. the one three syllables to the left of the stress, t(6)=2.492, p=.047; the vowel two syllables to the left of the stress vs. the one three syllables to the left of the stress vs. the one four syllables to the left of the stress, t(4)=5.039, p=.007.

#### 5.1.2. Intensity

There was a slight difference in intensity between stressed and unstressed vowels averaged over all speakers: 47.7 dB for stressed vowels and 44.7 dB for unstressed vowels. A paired samples t-test was conducted for the paired variables of stress level and speaker using mean intensity values for stressed and unstressed syllables for individual speakers. Stressed and unstressed vowels differed from each other in intensity according to this analysis: t(6)=4.737, p=.003. An analysis of variance was performed with stress level (stressed vs. unstressed) and speaker as independent variables. Both factors exerted a significant effect on intensity levels: for stress, F(1,847)=112.225, p < .001,  $\eta^2=.071$ ; for speaker, F(6,847)=87.975, p < .001,  $\eta^2$ =.332. The effect of stress, the factor of interest, was attributed to the overall difference between stressed and unstressed vowels in intensity. There was also a weaker interaction between the two factors: F(6,847)=4.921, p < .001,  $\eta^2$ =.019. The interaction between speaker and stress reflects interspeaker variation in the robustness of intensity as a correlate of stress. Five of the seven individual speakers had a robust difference in intensity between stressed and unstressed vowels according to one factor ANOVAs (stress level) conducted for individual speakers: speaker FS1, FS3, FS5, FS6 and MS1. Neither speaker FS2 nor speaker FS4 reliably employed intensity as a correlate of stress.

Table 3. Average by speaker intensity values and standard deviations (in decibels) for stressed and unstressed vowels and statistical results for the stress level variable according to analyses of variance.

Speaker	Stresse	d	Unstressed		Statistical results
	Mean	SD	Mean	SD	
FS1	45.9	2.8	42.3	3.3	$F(1,143)=40.331, p < .001, \eta^2=.220$
FS2	49.0	3.3	46.6	3.6	n.s.
FS3	48.3	4.8	44.6	3.8	$F(1,108)=18.697, p < .001, \eta^2=.148$
FS4	45.3	3.2	45.5	3.6	n.s.
FS5	49.6	2.6	45.0	2.3	$F(1,128)=98.678, p < .001, \eta^2=.435$
FS6	42.5	2.4	40.4	2.9	$F(1,131)=15.234$ , p < .001, $\eta^2=.104$
MS1	53.7	5.6	50.1	5.1	F(1,111)=11.616, p=.001, η <sup>2</sup> =.095
Average	47.7	4.9	44.7	4.5	

The data were also examined for evidence of secondary stresses occurring before the primary stress. Intensity values across speakers are plotted as a function of the distance in number of syllables between the vowel and the primary stressed vowel in Figure 4. The primary stressed vowel is indicated by '0', with'-1' indicating the immediately pretonic vowel, '-2' the vowel two syllables before the primary stress, '-3' the vowel three syllables before the primary stress, and '-4' the vowel four syllables before the primary stress.




Figure 4. Intensity of vowels (averaged across seven speakers) as a function of proximity to the stressed syllable

A series of paired (by speaker) samples t-test was conducted to compare, first, the intensity of stressed vowels with unstressed vowels differing in distance from the stress and, second, the intensity of unstressed vowels with other unstressed vowels in different positions. Results indicated that stressed vowels had greater intensity than unstressed vowels in all pretonic syllables except for the one three syllable to the left of the stressed syllable: stressed vowel vs. the immediately pretonic vowel, t(6)=4.553, p=.004; stressed vowel vs. the unstressed vowel two syllables to its left, t(6)=3.202, p=.019; stressed vowel vs. the unstressed vowel four syllables to its left, t(4)=3.395, p=.027. None of the unstressed vowels differed from each other as a function of proximity to the stress.

### 5.1.3. Fundamental frequency

A comparison conducted on the pooled speaker data indicated that stressed vowels were associated with considerably higher average F0 values than unstressed vowels: 190 Hz for stressed vowels vs. 163 Hz for unstressed vowels. A paired samples t-test was performed for the paired variables of stress level and speaker using mean F0 values for stressed and unstressed syllables in non-final syllables for individual speakers. Stressed and unstressed vowels differed from each other in F0 according to this analysis: t(6)=8.693, p < .001. An analysis of variance was performed with stress level (stressed vs. unstressed) and speaker as independent variables. Both factors exerted a significant effect on F0 levels: for stress, F(1,835)=137.228, p < .001,  $\eta^2$ =.104; for speaker, F(6,835)=53.612, p < .001,  $\eta^2$ =.244. The effect observed for stress is consistent with the results of the t-test showing a difference in F0 between stressed and unstressed vowels. The result for speaker reflects individual differences in F0, including gender-dependent differences between subjects. According to individual speaker ANOVAs with stress level as the independent variable and F0 as the dependent property, all speakers used F0 to differentiate stress level, although they varied in the extent of the difference between stressed and unstressed vowels (see table 4).

Table 4. Average by speaker F0 values and standard deviations (in Hertz) for stressed and unstressed vowels and statistical results for the stress level variable according to analyses of variance.

Speaker	Stresse	ed	Unstressed		Statistical results
	Mean	SD	Mean	SD	
FS1	203	31	172	26	$F(1,143)=38.093, p < .001, \eta^2=.210$
FS2	177	49	154	50	F(1,118)=5.385, p=.022, η <sup>2</sup> =.044
FS3	207	52	180	45	$F(1,107)=7.868, p=.006, \eta^2=.068$
FS4	203	31	171	32	$F(1,103)=23.786, p < .001, \eta^2=.188$
FS5	216	31	171	14	F(1,128)=126.128, p<001, η <sup>2</sup> =.496
FS6	186	16	168	17	$F(1,131)=32.674, p < .001, \eta^2=.200$
MS1	138	27	114	20	$F(1,105)=26.117, p < .001, \eta^2=.199$
Average	190	43	163	37	

The data were examined for evidence of secondary stresses occurring before the primary stress. F0 values across speakers are plotted as a function of the distance in

number of syllables between the vowel and the primary stressed vowel in Figure 5. The primary stressed vowel is indicated by '0', with'-1' indicating the immediately pretonic vowel, '-2' the vowel two syllables before the primary stress, '-3' the vowel three syllables before the primary stress, and '-4' the vowel four syllables before the primary stress.




Figure 5. Fundamental frequency of vowels (averaged across seven speakers) as a function of proximity to the stressed syllable

A series of paired (by speaker) samples t-test was conducted to compare, first, the fundamental frequency of stressed vowels with unstressed vowels differing in distance from the stress and, second, the fundamental frequency of unstressed vowels with other unstressed vowels in different positions. Results indicated that stressed vowels had higher F0 than unstressed vowels in all pretonic syllables: stressed vowel vs. the immediately pretonic vowel, t(6)=8.049, p < .001; stressed vowel vs. the unstressed vowel two syllables to its left, t(6)=8.429, p < .001; stressed vowel vs. the unstressed vowel three syllables to its left, t(6)=3.939, p=.008; stressed vowel vs. the unstressed vowel four syllables to its left, t(4)=4.121, p=.015. None of the unstressed vowels differed from each other as a function of proximity to the stress.

### 5.1.4. Summary: Duration, intensity, and F0

Table 5 summarizes for each speaker the properties that statistically (according to the ANOVAs discussed in sections 5.1.1-5.1.3) differentiated stressed and unstressed vowels. In the case of duration, results refer to non-final syllables. Two speakers (FS1 and MS1) differentiated stressed and unstressed vowels in the expanded data set including final vowels; hence, the parentheses in table 5.

Speaker	Correlate(s)		
	Duration	Intensity	F0
FS1	()	$\checkmark$	
FS2			
FS3	$\checkmark$	$\checkmark$	
FS4	$\checkmark$		
FS5		$\checkmark$	
FS6		$\checkmark$	
MS1	(√)	$\checkmark$	

Fundamental frequency is the most consistently employed marker of stress as all speakers show higher F0 on stressed vowels relative to unstressed vowels. Intensity is employed by five of the seven speakers, all except FS2 and FS4, to cue stress, while duration is a correlate of stress for four speakers in non-final syllables and two additional speakers across both final and non-final syllables. Five of the seven speakers make use of at least two properties to signal stress, while one speaker (FS2) utilizes only F0 in the realization of stress.

#### *5.2. Vowel quality*

The second phase of the study involved the examination of vowel quality as a potential marker of stress. The two short vowels /e, ə/ and another vowel which is reported to alternate between /e/ in unstressed syllables and /a:/ in stressed syllables were examined. This alternating vowel is positionally restricted (see section 3).

The corpus for this phase of the study consisted of roots appearing in their bare form and with systematically varying numbers of morphemes following within the same phrase that pull stress farther from the root (see corpus in Appendix B).<sup>1</sup> The target vowel  $\langle a \rangle$  was the stressed second vowel in the root  $\langle b a s a m \rangle$  'host', the non-alternating  $\langle e \rangle$  was the second vowel in  $\langle tep f e k^{j} \rangle$  'plate' and the alternating  $\langle e \rangle \sim a m \rangle$  occurred in the first syllable of  $\langle f'a m \rangle$  boy'. The distance between the stress and the target vowel varied from one to four syllables for the target vowels. Seven speakers (the same as those participating in the first phase of the study) provided data on  $\langle a \rangle$ . Six speakers (all except the male speaker) contributed data on non-alternating  $\langle e \rangle$  and on alternating  $\langle e \rangle \sim a m \rangle$ .

The study aimed to determine whether  $/\mathfrak{d}$  and the non-alternating  $/\mathfrak{e}$  vary in quality as a function of stress and also to confirm quantitatively the alternation between  $/\mathfrak{e}$  and  $/\mathfrak{a}$ :/ observed in roots. Unstressed vowels occurring at different distances from the stress were compared in order to determine whether any observed alternations in quality vary gradiently as a function of distance from the stress or whether there is a more categorical, even if perceptually subtle, division between stressed and unstressed vowels of the type described for the  $/\mathfrak{e} \sim \mathfrak{a}$ :/ alternation. The duration of vowels was also measured in order to assess any possible correlations between duration and vowel quality that may be attributed to coarticulation with adjacent consonants.

### 5.2.1. Results

In Figure 6, mean first and second formant values averaged over all the tokens produced by the six female speakers are plotted for the three target vowels differing in their proximity to the stressed syllable. In addition, the first two formants for the nonalternating /a:/ occurring in the word /sa:'bəj/ 'baby' are plotted on the right (completely overlapped with the symbol for alternating /a:/) as a reference point to indicate the neutralizing nature of the /e ~ a:/ alternation. The stressed vowel is indicated by '0', with '-1' indicating the immediately pretonic vowel, '-2' the vowel two syllables before the stress, '-3' the vowel three syllables before the stress, and '-4' the vowel four syllables before the stress.

<sup>&</sup>lt;sup>1</sup> As a reviewer points out, the alternation between /e/ and /a:/ can optionally have a word-level rather than phrase-level distribution, i.e. long /a:/ that is stressed in the isolation or phrase-final instantiation of a word may preserve its length when it occurs before another word in the same phrase, e.g.  $\int'ele' ts' k''$  'little boy' may be pronounced as  $\int'a:le' ts' k''$  in more deliberate speech. None of our data, however, displayed this option.




Figure 6. First and second formant values for the vowels  $/\partial/$ , /e/,  $/e \sim a!/$  and /a!/ for female speakers as a function of distance from the stress

Looking first at the vowel /ə/, paired (by speaker) t-tests did not indicate any significant effect of distance from the stress on second formant values. There was, however, an effect of proximity to the stress on first formant values for several female speakers. First formant values for schwa in different contexts for the female speakers are plotted in figure 7.




Figure 7. Average first formant values for  $\frac{1}{2}$  for six female speakers as a function of distance from the stress

According to paired (by speaker) t-tests, the first formant for the stressed vowel was higher than the first formant for the preceding three pretonic vowels (but not the vowel four syllables to the left of the stress): stressed vowel vs. pretonic vowel, t(6)=2.871, p=.028; stressed vowel vs. unstressed vowel two syllables to the left of the stress, t(4)=4.737, p=.009; stressed vowel vs. unstressed vowel three syllables to the left of the stress, t(5)=9.874, p < .001. Most speakers (FS2, FS3, FS4, FS6) showed salient lowering of the first formant in unstressed syllables, but others (FS1, FS5 and the male speaker not shown in the figure) either had no lowering or only negligible lowering of the first formant. In addition, first formant values for the immediately pretonic vowel were higher than those for the unstressed vowel two syllables from the stress, t(5)=4.918, p=.004. This pattern is found for all of the speakers, though the size of the differences varies between speakers. Another pattern found for some speakers (FS1, FS2, FS4, FS6) is for first formant values to increase slightly in the vowel farthest from the stress, the vowel four syllables form the stress for FS1, FS4 and FS6 and three syllables from the stress in

the case of FS2.

A linear regression analysis (see plot in figure 8) was conducted over all tokens across speakers with the first formant as the dependent variable and duration as the independent variable. There was a moderate correlation (p < .001, r=.459) between duration and the first formant values for /ə/ was observed, such that increased length was associated with higher first formant values, which indicate a lower tongue position. No correlation was found between duration and the second formant. The correlation between duration and the first formant is consistent with the slight raising of F1 for some speakers in the vowel farthest from the stress relative to its immediately following counterpart. For these speakers, there is some lengthening of the vowel farthest from the stress compared to the following vowel: 5 milliseconds (17%) for speaker FS1, 12 ms (32%) for FS2, 15 ms for FS4 (43%), 6 ms (29%) for FS6. In contrast, the two female speakers who do not show this pattern have much smaller lengthening of the vowel: 3 milliseconds for speaker FS3 (11%) and 3 milliseconds (9%) for FS5. 30-35 ms for speaker FS1, 37-49 ms for FS2, 28-31 FS3, 35-50 FS4, 33-36 FS5, 21-27 FS6.





Figure 8. Duration (y-axis) vs. first formant values (x-axis) for /a/a s produced by seven Kabardian speakers

For the non-alternating vowel /e/, a paired samples t-test indicated a significant (though small) lowering effect on the first formant of unstressed vowels relative to the stressed vowel: stressed vowel vs. the immediately pretonic vowel, t(4)=7.237, p=.002; stressed vowel vs. the unstressed vowel two syllables to the left of the stress, t(5)=12.596, p < .001; stressed vowel vs. the unstressed vowel three syllables to the left of the stress, t(4)=8.471, p=.001; stressed vowel vs. the unstressed vowel four syllable to the left of the stress, t(4)=5.161, p=.007. There were not any differences between the pretonic vowels. Second formant values did not differ as a function of proximity to the stress. It is interesting to note, however, that second formant values for /e/ vary considerably from speaker to speaker but are generally consistent with a transcription of this vowel as a fronter vowel such as  $/e/.^2$  Figure 9 shows mean values for speakers plotted individually. (Note that speaker F4 only provided data from stressed vowels and the syllable two syllables to the left of the stress.)



Distance (in syllables) from stress

Figure 9. First and second formant values for /e/ for six female speakers as a function of distance from the stress

<sup>&</sup>lt;sup>2</sup> Thanks to a reviewer for pointing this out.

Linear regression analyses showed a moderate correlation between first formant values (see figure 10) and duration (p < .001, r=.446) but no correlation between second formant values and duration. The positive correlation between duration and the first formant parallels the results for schwa seen earlier.




Figure 10. Duration (y-axis) vs. first formant values (x-axis) for /e/as produced by six female Kabardian speakers

Turning to the alternating vowel, the dominant pattern (see figure 11) is for first formant values to be higher in the stressed syllable than in unstressed syllables, where the sharpness of the change varies depending on the formant and the speaker. As figure 6 showed, however, the unstressed allophone remains backer and lower than the nonalternating /e/. For certain speakers (most clearly FS6), there is also a tendency for first formant values to continue to fall slightly as distance from the stress increases. Paired ttests showed that first formant and second formant values differed between the stressed vowel and all its unstressed counterparts: stressed vowel vs. pretonic vowel, t(5)=6.835, p=.001; stressed vowel vs. unstressed vowel two syllables to the left of the stress, t(5)=15.857, p < .001; stressed vowel vs. unstressed vowel vs. unstressed vowel four syllable to the left of the stress, t(4)=16.470, p < .001. In addition, first formant values were marginally higher for the immediately pretonic vowel relative to its counterparts two (t(5)=2.882, p=.035) and three (t(5)=3.263, p=.022) syllables to the left of the stress.




Figure 11. First and second formants values for  $/e \sim a$ :/ as produced by four female speakers as a function of distance from the stress

A linear regression analysis (with first formant as the dependent variable and duration as the independent variable) pooled over all speakers' results indicated a very strong positive correlation (p < .001, r=.825) between duration and first formant values as is apparent in Figure 12. Duration displays a bimodal distribution in keeping with descriptions analyzing the lower variant found in stressed syllables as a phonemic long vowel in contrast to the phonemic short vowel occurring in unstressed syllables.




Figure 12. Duration (y-axis) vs. first formant values (x-axis) for  $/e \sim a$ :/ as produced by seven Kabardian speakers

A slight negative correlation (p=.014, r=.207) between duration and second formant values was found in a linear regression analysis with increased duration being associated with lower second formant values (see Figure 13). The longer variant occurring in stressed syllables has lower second formant values indicating a slightly retracted tongue position.




Figure 13. Duration (y-axis) vs. second formant values (x-axis) for  $/e \sim a!/as$  produced by seven Kabardian speakers

However, if the long allophone /a:/ occurring in stressed syllable is excluded, the correlations between duration and both first and second formant values disappear. This indicates that the apparent correlations between duration and the first two formants for the vowel alternating between /ɐ/ and /a:/ are primarily artifacts of the bifurcation of the vowel space between two principal allophones: /ɐ/ in all unstressed syllables vs. /a:/ in stressed syllables.

### 5.2.2. Summary: Vowel quality

Results suggest the existence of two types of relationship between stress and vowel quality in Kabardian. First, there is for the majority of speakers a categorical shift in quality between more central unstressed /e/ and more peripheral stressed /a:/, which is manifested as a lowering of the first formant and, less consistently across speakers, a raising of the second formant in unstressed syllables relative to the stressed syllable. The extent of this shift in quality is greater than that observed for either the vowel /a/ or the non-alternating /e/ under a change in stress. In fact, the unstressed counterpart of /a:/

occurring in immediately pretonic position has second formant values that are identical to those of non-alternating /e/ and first formant values that are identical to those of both /a/ and non-alternating /e/.

The second type of effect of stress on vowel quality is the more gradient variety observed for  $|\partial|$  and less strongly for |v|, both of which display slightly lowered first (but not second) formant values in unstressed syllables. This lowering is correlated with vowel duration such that shorter vowels are associated with lowered first formant values. which are suggestive of a higher tongue position. Superficially, the raising of schwa and /e/ might seem to instantiate two conflicting types of reduction strategies according to Crosswhite's (2001) taxonomy: contrast enhancing reduction of the raising type in the case of schwa, but centralizing reduction in the case of /e/. However, the gradient and small nature of the raising effect for both unstressed vowels is more plausibly explained by the same articulatory mechanism driving the centralizing type of reduction. The lowering of the first formant in schwa and /e/ when they are unstressed and thus shorter is suggestive of coarticulation with surrounding consonants, in particular, the preceding coronal consonant: /s/ preceding the target schwa in the root /bəsəm/ and /ʃ/ preceding the assume the canonical position for both schwa and /e/. As the vowel shortens, as occurs in unstressed syllables, however, there is insufficient time for the tongue to reach its target position. The result is articulatory undershoot of schwa and /ɐ/. The data for Kabardian schwa essentially mirror those of Lindblom (1963) for Swedish non-high vowels and are driven by the same articulatory considerations that plausibly motivate the centralizing type of vowel reduction.

It is interesting to note that the raising of /e/ in unstressed syllables is less than that observed for unstressed schwa and that the correlation between the first formant and duration is weaker for /e/ than for schwa. There is a relatively simple explanation for this difference between schwa and /e/. The vowel /e/ is considerably longer than /a/ in all contexts. This difference is apparent in Figure 14, which plots duration for the vowels /e/, /a/, and /e ~ a:/ in different contexts relative to stress for the six female speakers. The non-alternating long /e/ in /sa:'baj/ 'baby' is also plotted to show that it is durationally shorter than its qualitatively (but not quantitatively) identical alternating counterpart in




Figure 14. Duration of the vowels  $/\nu/$ ,  $/\nu/$ , and  $/\nu \sim at/$  as produced by six female speakers as a function of distance from the stress

Presumably the greater duration of /e/ makes it less susceptible to coarticulatory effects from adjacent consonants which would affect the entire vowel. Another potential contributing factor to the difference between the two vowels in the examined data might be the difference in consonantal context in which the vowels occurred. Differences in surrounding consonants could also account for the failure of alternating /e/ in unstressed syllables to display any correlation between duration and first formant values even though it is durationally equivalent to non-alternating /e/.

#### 6. Conclusions

Like many other more thoroughly studied languages, the Northwest Caucasian language Kabardian distinguishes stress acoustically through a combination of properties, including higher fundamental frequency, greater overall intensity and increased duration. Of these properties, fundamental frequency is the most robust correlate of stress, a feature shared with closely related Ubykh (Vogt 1963:32). In the data examined here, duration

and intensity are used less consistently across speakers as a cue to stress. The lesser reliance on duration relative to F0 supports the hypothesis that the manipulation of duration as a marker of stress could potentially be constrained by the use of duration to signal phonemic contrasts in vowel length. Nevertheless, the fact that some speakers did use increased duration to signal stress indicates that a phonemic length contrast does not necessarily preclude the use of duration as a stress correlate, in keeping with Taff et al's (2001) findings for Aleut.

The greater reliability of F0 as a stress correlate in Kabardian relative to duration and intensity mirrors results for English (Fry 1955, 1958) with the caveat that the present study does not attempt to tease apart phrase-level intonational prominence (see Applebaum and Gordon 2007 and Applebaum 2008 on Kabardian intonation), which hinges on fundamental frequency, from word-level stress, which is characteristically more reliant on duration and intensity (see Sluijter and van Heuven 1996 for discussion of phonetic aspects of this distinction). It may also be noted that the greater reliance on F0 in Turkish Kabardian parallels results for Turkish (Levi 2005), the language in which all of the speakers providing the data for the current research are bilingual. It is thus possible that the importance of F0 as a cue to stress in Turkish Kabardian could be due to influence from Turkish. Phonetic study of stress correlates in varieties of Kabardian spoken in countries with different superstratum languages would be necessary to determine whether the results observed in the present work reflect a transfer of phonetic characteristics of Turkish into Kabardian.

Kabardian also displays a salient alternation in vowel quality between /e/ and /a:/ that is dependent on stress. This alternation is accompanied by a large difference in duration, far greater than the differences in duration between stressed /a/ and /e/ and their unstressed counterparts. Not coincidentally, the vowels /a/ and /e/, which differ only slightly in duration between stressed and unstressed syllables, also show only minor differences in quality as a function of stress. These differences are likely attributed to coarticulation with adjacent consonants that varies in inverse proportion to duration: the shorter the duration of the vowel, the greater the degree of coarticulation.

The characterization of the alternation between /ɐ/ and /aː/ as neutralizing was only partially confirmed by the present study. The allophone /aː/ occurring in stressed

syllables is qualitatively identical to its non-alternating counterpart but longer. On the other hand, the allophone /e/ is quantitatively equivalent to its non-alternating counterpart but is qualitatively lower and backer. The investigation of neutralization deserves further study using data in which surrounding consonant context is controlled for across phonemic vowel categories.

The occurrence of the coarticulation-driven gradient raising of schwa as opposed to the categorical raising of mid vowels in unstressed syllables found in many languages further suggests that vowel reduction in Kabardian is driven primarily by the goal of increasing articulatory ease rather than maximizing the perceptual distinctness of vowel contrasts in unstressed syllables. Colarusso (1992) alludes to this motivating force in his discussion of schwa in Kabardian, when he suggests that schwa provides the 'shortest possible sonorant path' to transition between consonants (p.28). The phonemic short vowels of Kabardian both occupy a relatively central vowel space, meaning that they require relatively little tongue movement beyond the rest position. For this reason, durational shortening associated with lack of stress is less likely to induce a shift in vowel quality beyond that induced by coarticulatory effects of adjacent consonants.

A further factor potentially explaining the limited role of vowel reduction as a cue to stress relates to the functional role of stress in Kabardian. Stress is non-phonemic at the lexical level and its role in differentiating minimal pairs on a morphological basis is extremely limited. Pairs such as  $/m \Im f e/$  'bear' vs.  $/m \Im' f e/$  'this milk', where the first word is monomorphemic and the second word consists of the root /f e/ 'milk' plus the stressrejecting prefix  $/m \Im/$  are quite rare. For this reason, it may be less crucial in Kabardian from a functional perspective to signal stress through changes in vowel quality.

Yet another reason for the limited role of vowel quality in signaling stress might be its role in identifying adjacent consonants. Vowels, particularly the two phonemic short vowels /ə/ and /ɐ/, have several different allophones depending on the surrounding consonants. These allophones occupy much of the available vowel space, as the phonetic literature on Kabardian demonstrates (Catford 1984, Colarusso 1988, 2992, 2006, Choi 1991, Wood 1994, Gordon & Applebaum 2006). These allophonic shifts in vowel quality potentially assist in identifying the numerous consonantal contrasts of Kabardian. It is conceivable that there is less room for signaling stress, which carries a low functional load, through changes in vowel quality because most of the available vowel space is exploited by consonantally-conditioned changes in vowel quality. The Kabardian data thus suggest that predictions about the phonetic realization of stress potentially hinge not just on the functional role of stress but also on other factors, including the complexity of the consonant system and, perhaps more crucially, a language's weighting of the often antagonistic goals of minimizing articulatory effort and maximizing perceptual distinctness.

### Acknowledgments

The authors gratefully acknowledge comments from three reviewers and the editor on an earlier draft of this paper. A tremendous debt of gratitude is owed to the Kabardian speakers (Hacı Aslan Gönül, Şıd Nedret, Hacı Aslan Rauf) providing the data analyzed in this paper; without their generosity this study would have been impossible. The research presented here was funded by NSF grant BCS0553771 to the first author and by a Hans Rausing Foundation grant to the second author.

#### References

- Abitov, M. L., Balkarov, B. X., Desheriev, J. D., Rogava, G. B., El'berdov, X. U., Kardanov, B. M. & Kuasheva, T. X. (1957). *Grammatika kabardino-cherkesskogo literaturnogo jazyka*. Moscow: Izdatel'stvo Akademii Nauk.
- Adisasmito-Smith, Niken and Abigail C. Cohn. (1996). Phonetic correlates of primary and secondary stress in Indonesian: A preliminary study. Working Papers of the Cornell Phonetics Laboratory 11. 1-16.
- Applebaum, Ayla. (2008). *Intonation of Turkish Kabardian*. MA Thesis. University of California, Santa Barbara.
- Applebaum, Ayla & Gordon, Matthew (2007). Intonation in Turkish Kabardian. Proceedings of the International Congress of Phonetic Sciences XVI. 1401-1404.
- Baitschura, Uzbek. (1976). Instrumental phonetische Beiträge zur Untersuchung der Sprachmelodie und des Wortakzentes im Tscheremissischen. *Études Finno-Ougriennes XIII*. 109-22.
- Beckman, Mary. (1986). Stress and non-stress accent. Dordrecht: Foris.

- Bondarko, L. V., L. P. Verbitskaya & L.P. Tscherbakova. (1973). Ob opredelenii mesta udareniya v slove. *Izvestiya AN SSSR. [Seriya OLYA 2*].
- Catford, John C. (1984). Instrumental data and linguistic phonetics. In Jo-Ann W. Higgs and Robin Thelwall (eds.), *Topics in linguistic phonetics*, in honour of E. T. Uldall, pp. 23–48. Coleraine, N. Ireland: New University of Ulster.
- Choi, John. (1991). An acoustic study of Kabardian vowels. *Journal of the International Phonetic Association* 21, 4-12.
- Colarusso, John. (1988). *The Northwest Caucasian languages: a phonological survey*. New York: Garland Publishing.
- Colarusso, John. (1992a). *The Kabardian language*. Calgary: University of Calgary Press.
- Colarusso, John. (2006). Kabardian (East Circassian). Munich: Lincom Europa.
- Crosswhite, Katherine. (2001). Vowel reduction in Optimality Theory. New York: Routledge.
- Everett, Keren. (1998). Acoustic correlates of stress in Pirahã. *The Journal of Amazonian Languages* 1. 104-162.
- Fry, D. B. (1955). Duration and intensity as physical correlates of linguistic stress. Journal of the Acoustical Society of America 27. 765-8.
- Fry, D. B. (1958). Experiments in the perception of stress. *Language and Speech* 1. 120– 52.
- Gonzales, A. (1970). Acoustic correlates of accent, rhythm, and intonation in Tagalog. *Phonetica* 22. 11-44.
- Gordon, Matthew. (2004). A phonological and phonetic study of word-level stress in Chickasaw. *International Journal of American Linguistics* 70, 1-32.
- Gordon, Matthew & Ayla Applebaum. (2006). Phonetic structures of Turkish Kabardian. *Journal on the International Phonetic Association* 36. 159-186.
- Jassem, Wiktor, J. Morton & Maria Steffen-Batóg. (1968). The perception of stress in synthetic speech-like stimuli by Polish listeners. *Speech Analysis and Synthesis* I. 289–308.
- Kryvitskij, A. A. & A. I. Podluzhni. (1994). Uchebnik belorusskogo jazyka dlja samoobrazovanija. Minsk: Vyshèishaia Shkola.

- Levi, Susannah V. (2005). Acoustic correlate of lexical accent in Turkish. *Journal of the International Phonetic Association* 35, 73-97.
- Levine, Timothy & Craig Hullett. (2002). Eta squared, partial eta squared, and misreporting of effect size in communication research. *Human Communication Research* 28, 612-625.
- Lindblom, Björn. (1963). Spectrographic study of vowel reduction. *Journal of the Acoustical Society of America* 35. 1773-81.
- Lindblom, Björn & Karin Rapp. (1973). *Some temporal regularities of spoken Swedish* [*Publication* 21]. Institute of Linguistics. University of Stockholm.
- Maiden, Martin (1995). Evidence from the Italian dialects for the internal structure of prosodic domains. In J. C. Smith & M. Maiden (eds.), *Linguistic theory and the Romance Languages*, pp. 115–131. Amsterdam: Benjamins.
- Manuel, Sharon. (1990). The role of contrast in limiting vowel-to-vowel coarticulation in different languages. *Journal of the Acoustical Society of America*. 1286-1298.
- Munro, Pamela & Peter Benson. (1973). Reduplication and rule ordering in Luiseño. International Journal of American Linguistics 39.15–21.
- Potisuk, Siripong, Jackson Gandour & Mary P. Harper. (1996). Acoustic correlates of stress in Thai. *Phonetica* 53. 200-20.
- Sluijter, Agaath M. C. & Vincent J. van Heuven. (1996). Spectral balance as an acoustic correlate of linguistic stress. *Journal of the Acoustical Society of America* 100. 2471-2485.
- Taff, Alice, Lorna Rozelle, Cho, Taehong., Ladefoged, Peter, Moses Dirks & Jacob Wegelin (2001). Phonetic structures of Aleut. *Journal of Phonetics* 29, 231–271.
- Turchaninov, G. & Tsagov, M. (1940). *Grammatika kabardinoskogo jazyka*. Moscow: Izdatel'stvo Akademii Nauk.
- Vogt, Hans. (1963) Dictionnaire de la langue Oubykh. Oslo: Universitetsforlaget.
- Wightman, Colin W., Stefanie Shattuck-Hufnagel, Mari Ostendorf. & Patti J. Price. (1992). Segmental durations in the vicinity of prosodic phrase boundaries. *Journal of the Acoustical Society of America* 92. 1707-17.
- Wood, Sidney. (1994). A spectrographic analysis of vowel allophones in Kabardian.Working Papers 42. 241–250. Lund: Lund University Department of Linguistics.

Yakovlev, N. F. (1948). Grammatika literaturnogo kabardino-cherkesskogo jazyka.

Moscow: Izdatel'stvo Akademii Nauk.

# Appendix A. Acoustic correlates of stress corpus

Word	Gloss
bə'səm	'host'
bəsə'məf'	'good host'
məbəsə'məf'	'this good host'
məbəsəmə'f'əʒ	'this good old host'
ˈ∫əmk <sup>j</sup> 'ɐ	'by the horse'
bə'səmər	'host (abs)'
məbə'səmər	'this host (abs)'
məbəsə'məf'ər	'this good host (abs)'

Appendix B. Vowel quality corpus

Word	Gloss
bə's <b>ə</b> m	'host'
bəs <b>ə</b> 'məf'	'good host'
məbəs <b>ə</b> məˈf'əz	'this good old host'
məbəs <b>ə</b> məf'əˈʒəjt'	'these two good old host'
bəs <b>ə</b> m ts'ək <sup>w</sup> 'əf'əˈʒəjt'	'two good old little hosts'
tɐp'∫ <b>e</b> k <sup>j</sup>	'plate'
tɐp∫ <b>ɐ</b> ˈk <sup>j</sup> əf'	'good plate'
tɐp∫ <b>ɐ</b> k <sup>j</sup> əˈf'əjt'	'two good plates'
tɐp∫ <b>ɐ</b> k <sup>i</sup> əf'əˈʒəjt'	'two good old plates'
tɐp∫ <b>ɐ</b> k <sup>j</sup> ts'əkʷ'əf'ə'ʒəjt'	'two good old little plates'
'∫'aːlɐ	'boy'
∫' <b>e</b> 'lef'	'good boy'
∫ <b>'ɐ</b> lɐˈf'əjt'	'two good boys'
∫' <b>ɐ</b> lɐf'əˈʒəjt'	'two good old boys'
∫' <b>e</b> le ts'ək <sup>w</sup> 'ə'f'əjt'	'two good little boys'